

 PALM INTRANET**Inventor Name Search Result**

Your Search was:

Last Name = OHWADA

First Name = HIDEKI

| Application# | Patent# | Status | Date Filed | Title | Inventor Name |
|--------------------------|------------|--------|------------|---|----------------|
| 10472204 | Not Issued | 161 | 09/22/2003 | Cdma radio base station apparatus and duplexing system thereof | OHWADA, HIDEKI |
| 10502481 | Not Issued | 41 | 07/23/2004 | Base station and mobile communication system utilizing the same | OHWADA, HIDEKI |
| 10736903 | Not Issued | 30 | 12/17/2003 | Communication control apparatus, and CDMA communication system using the same | OHWADA, HIDEKI |

Inventor Search Completed: No Records to Display.

Search Another: Inventor

Last Name

OHWADA

First Name

HIDEKI

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | Home page


[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

CDMA hand-off OR hand-over "start time"

- 2002

Ad
Sc
Sc

Search only in Engineering, Computer Science, and Mathematics.
 Search in all subject areas.

Scholar All articles - Recent articles Results 1 - 76 of 76 for CDMA hand-off OR hand-over "start t

All Results

[T King](#)
[D Wu](#)
[D Knisely](#)
[Y Hou](#)
[S Kumar](#)

[Admission control scheme for soft handoff in DS-CDMA cellular systems supporting voice and stream- ... - all 4 versions »](#)

JWCJH Chung, DK Sung - Vehicular Technology, IEEE Transactions on, 2002 - [ieeexplore.ieee.org](#)

... service is directed in the th frame time to **start time** scheduling in the ... CHANG et al.: ADMISSION CONTROL SCHEME FOR SOFT HANDOFF IN DS-CDMA CELLULAR SYSTEMS ...

[Cited by 7 - Related Articles - Web Search - BL Direct](#)

[On Admission Control and Scheduling of Multimedia Burst Data for CDMA Systems - all 4 versions »](#)

YK Kwok, VKN Lau - Wireless Networks, 2002 - Springer

... of the user mobility and soft handoff (see section ... link and the reverse link of CDMA systems are ... worth mentioning is that although soft hand- off is beneficial ...

[Cited by 7 - Related Articles - Web Search - BL Direct](#)

[... and method with interference reduction during soft handoff in CDMA cellular communication systems - all 3 versions »](#)

CS Kang, SS Cheon, KS Kim, CH Cho - US Patent 6,487,191, 2002 - Google Patents
 ... 103, 104 or all at the same time from the **handoff start time** to the ... station and a base station for power control in soft handoff in the CDMA cellular mobile ...

[Cited by 2 - Related Articles - Web Search](#)

[An overview of scheduling algorithms in wireless multimedia networks - all 6 versions »](#)

H Fattah, C Leung - Wireless Communications, IEEE [see also IEEE Personal ..., 2002 - [ieeexplore.ieee.org](#)

... Another problem is that a handoff may result in the ... 3]. In a code-division multiple access (CDMA) network, the ... a k i are the virtual **start time**, virtual finish ...

[Cited by 61 - Related Articles - Web Search - BL Direct](#)

[Scheduling **start time** in CDMA burst admission](#)

L Zhuge, VOK Li - Communications, 2002. ICC 2002. IEEE International ..., 2002 - [ieeexplore.ieee.org](#)

... been proposed in the next generation CDMA cellular systems to ... Appropri- ate scheduling

of burst **start time** based on load ... ratio l c . When soft handoff is consid ...

[Cited by 1 - Related Articles - Web Search - BL Direct](#)

[On Admission Control and Scheduling of Multimedia Burst Data for CDMA Systems](#)

K YK, VKN Lau - Wireless Networks, 2002 - [ingentaconnect.com](#)

... of the user mobility and soft handoff (see section ... link and the reverse link of CDMA systems are ... worth mentioning is that although soft hand- off is beneficial ...

[Cited by 3 - Related Articles - Web Search](#)

[Method of handing-off a remote unit based on overhead information start times - all 5 versions »](#)

JP Jayapalan, SH Sanders III - US Patent 6,002,678, 1999 - Google Patents
 ... generation CDMA protocols, including direct sequence spread ... determining a need to hand-off the remote ... determining an overhead information **start time**, the over ...
 Cited by 1 - Related Articles - Web Search

... parameters of hopping pilot beacon for inter-frequency handoff in CDMA mobile cellular networks - all 2 versions »

W Choi, JY Kim - Vehicular Technology Conference, 2001. VTC 2001 Spring. IEEE ..., 2001 - ieeexplore.ieee.org
 ... off success probability ... propagation environments and handoff situation ...
 REFERENCE
 [I] J. S. Lee and L. E. Miller, CDMA Systems Engineering Handbook, Artech House ...
 Web Search - BL Direct

CDMA RECEIVER, AND RECEPTION METHOD - all 2 versions »

T MIURA - EP Patent 1,225,707, 2002 - freepatentsonline.com
 ... view schematically showing a state of diversity handover in a ... doing so, even when HHO (Hard Hand Over) or DHO ... of the invention, in the CDMA receiver comprising ...
 Cached - Web Search

Radio Resource Management in 3G CDMA - all 2 versions »

RM Buehrer - COMMUNICATIONS, 2002 - mprg.org
 ... RRM in CDMA Voice Networks (IS-95/cdma2000) – Base station assignment (including handoff) – Power control – Admission control – Load control ...
 Related Articles - View as HTML - Web Search

Method and apparatus for controlling a searcher in a CDMA communication system - all 3 versions »

U Faber - US Patent 6,463,046, 2002 - Google Patents
 ... data, superfluous interference takes place not only during the soft handoff procedure but ... applicable is for use in controlling a searcher in a CDMA system to ...
 Related Articles - Web Search

Call admission method in CDMA mobile communication system - all 3 versions »

CH Koo, KW Kim - 2002 - freepatentsonline.com
 ... in the UE of the CDMA mobile communication ... eg, premium call, emergency call, handoff
 call, or ... MP Waiting reason >Action time MP **Start time** for discontinuation ...
 Related Articles - Cached - Web Search

Evolution of wireless data services: IS-95 to cdma2000 - all 4 versions »

DN Knisely, S Kumar, S Laha, S Nanda - Communications Magazine, IEEE, 1998 - ieeexplore.ieee.org
 ... Industry Association (TIA) standards support a wide range of data services in IS-95-A- based [I] code-division multiple access (CDMA) second-gen- eration ...
 Cited by 131 - Related Articles - Web Search - BL Direct

Mobile streaming media CDN enabled by dynamic SMIL - all 4 versions »

T Yoshimura, Y Yonemoto, T Ohya, M Etoh, S Wee - Proceedings of the 11th international conference on World ..., 2002 - portal.acm.org
 ... CLM recalculates the **start time** and the request times for each segment, and changes ...
 6. STREAMING SESSION HANDOFF When a mobile client moves from one location ...
 Cited by 26 - Related Articles - Web Search

Evaluation of TCP and Internet traffic via low Earth orbitsatellites - all 3 versions »

YC Chotikapong, HZ Sun - Personal Communications; IEEE [see also IEEE Wireless ...,

2001 - ieeexplore.ieee.org
... SKYBRIDGE 2 Europe LEO (80) Transparent No CDMA ... variation due to satellite movement
and **hand-off** in Teledesic ... due to satellite movement and the **handoff** process ...
Cited by 10 - Related Articles - Web Search - BL Direct

Device and method for controlling transmission power of punctured frame - all 5 versions »
JY Kim, JM Ahn, YK Kim - US Patent 6,493,333, 2002 - Google Patents
... In the CDMA mobile communication system, a receiver of a ... station performs for a hard **handoff**, will be ... eg, data rate, punctur -ing **start time** and puncturing ...
Cited by 3 - Related Articles - Web Search

Method and apparatus for determining time in a GPS receiver - all 3 versions »
TM King - US Patent 6,346,911, 2002 - Google Patents
... A TIME OFFSET BETWEEN ADATA CAPTURE START TIME AND THE PREDETERMINED PATTERN START TIME ... In some cellular telephone devices, such as CDMA(code division multiple ...
Cited by 7 - Related Articles - Web Search

Scalable video transport over wireless IP networks
D Wu, YT Hou, YQ Zhang - Personal, Indoor and Mobile Radio Communications, 2000. ..., 2000 - ieeexplore.ieee.org
... in Code Division Multiple Access (CDMA) systems, adaptive ... the mobility as well as **handoff** characteristics of ... an algorithm based on the **start-time** fair queueing ...
Cited by 23 - Related Articles - Web Search

Method and apparatus for linking terminals using private secondary service paths (PSSP) in a ... - all 2 versions »
US Patent 6,157,624, 2000 - freepatentsonline.com
... Code Division Multiple Access (CDMA) communications techniques ... some cases, the PSSP **start time** is delayed ... not limited to, performing **hand-off** procedures between ...
Cited by 3 - Related Articles - Cached - Web Search

Method of providing burst timing for high-speed data transmission in a base station transceiver ... - all 5 versions »
HS Lee, Y Chang - US Patent 6,490,268, 2002 - Google Patents
... source BS 30 for soft/softer **handoff** between BSs. ... 5. Privacy Info: (public and private) CDMA long code ... a factor representative of the period and **start time** of a ...
Cited by 5 - Related Articles - Web Search

Method and system for processing signals for use in a wireless communication system - all 4 versions »
WD Willey - US Patent 5,784,411, 1998 - Google Patents
... In the case of an intercell **hand-off**, the voice ... is that the probability of a **handoff** being executed ... in a code division multiple access (CDMA) system typically ...
Cited by 2 - Related Articles - Web Search

Design and evaluation of an optimization based approach to multiple burst admission control for ... - all 2 versions »
VKN Lau, YK Kwok - Vehicular Technology Conference, 2001. VTC 2001 Fall. IEEE ..., 2001 - ieeexplore.ieee.org
... rate, assigned burst duration and the burst **start time**. ... of the user mobility and soft **hand-off** (detailed in ... easily applied to other wideband CDMA systems with ...
Related Articles - Web Search - BL Direct

Apparatus, and associated method, for maintaining a selected quality of service level in a radio ... - all 3 versions »

L Hsu, RW Purnadi - US Patent 6,169,898, 2001 - Google Patents

... station in the subsequent cell, a **hand-off** of communications ... and are not likely candidates for **hand over** of communications ... cell, such as when a **handover** occurs ...Cited by 5 - Related Articles - Web SearchFixed site and satellite data-aided GPS signal acquisition method and system - all 3 versions »

TM King - US Patent 6,121,923, 2000 - Google Patents

... THE DIGITIZED SIGNAL INTO A MEMORY COMMENCING COINCIDENT WITH THE DETERMINED CAPTURE

START TIME ... GPS receiver on the market in order to acquire the CDMA signals ...

Cited by 11 - Related Articles - Web SearchPhone standby time in cdma2000: the quick paging channel in soft handoff - all 3 versions »

S Sarkar, BK Butler, EG Tiedemann Jr, Q Inc, CA ... - Vehicular Technology, IEEE Transactions on, 2001 - ieeexplore.ieee.org

... is defined in [5].) Let denote the **start time** of the ... if this channel is put in soft **handoff** [14], [15]. ... when compared to the other 3G wireless **CDMA** proposals. ...Cited by 4 - Related Articles - Web Search - BL DirectAutonomous data aided GPS signal acquisition method and system - all 2 versions »

US Patent 6,295,024, 2001 - freepatentsonline.com

... The **CDMA** signal structure of the received signal offers ... the preferred embodiment the HOW, or **hand-over** word, is ... in step 411 a capture **start time** is determined ...Cited by 4 - Related Articles - Cached - Web SearchMultiband mobile telephone system - all 6 versions »

H Einola - US Patent 5,960,354, 1999 - Google Patents

... TYPE CHANNEL NUMBER SYS INFO TYPE INFO(SYSINFO) **START TIME** ... nels and the second channelgroup **CDMA** channels. ... from one group to another, ie **handover** is performed ...Cited by 10 - Related Articles - Web SearchThis paper appears in: Communications, 2002. ICC 2002. IEEE International Conference on Publication ... - all 2 versions »

TOC View - Communications, 2002. ICC 2002. IEEE International ..., 2002 - ieeexplore.ieee.org

... Two technologies, optical communications/switching, and **CDMA** for next-generation wireless networks, inspired the start-up of several companies in the nineties. ...Web SearchFixed site data-aided GPS signal acquisition method and system - all 3 versions »

TM King - US Patent 6,300,899, 2001 - Google Patents

... LOCAL REAL-TIME CLOCK OUTPUT IS USED TO PREDICT THE CAPTURE **START TIME** SYNCHRONOUSWITH ... every GPS receiver on the market in order to acquire the **CDMA** signals. ...Cited by 6 - Related Articles - Web SearchNovel and enhanced mobile Internet protocol for third generation cellular environments compared to ... - all 7 versions »

CN Yap, M Kraner, NA Fikouras, SR Cvetkovic - 3G Mobile Communication Technologies, 2000. First ..., 2000 - ieeexplore.ieee.org

... Figure 2 Figure 2 depicts a typical measurement of service interruption on TCP level

due to handoff between two single Page 3. ... plain ME' while doing a hand-off. ...

Cited by 3 - Related Articles - Web Search - BL Direct

Evaluation of performance improvement of IS-2000-A in comparison to IS-2000

F Khafizov, D Paranchych, A Chheda - Vehicular Technology Conference, 2002. Proceedings. VTC 2002 ..., 2002 - ieeexplore.ieee.org

... or Multi-Carrier Code Division Multiple Access (CDMA) configuration, with ... to generate FCH power and hand-off state distributions ... Handoff management is performed ...

Cited by 1 - Related Articles - Web Search - BL Direct

Sliding window based CAC for adaptive service in mobile network - all 4 versions »

P Zhao, HM Zhang - Personal, Indoor and Mobile Radio Communications, 2002. The ..., 2002 - ieeexplore.ieee.org

... I 011' 1 ____ — i max0, k'jb (3) where is the **start time** of the ... degradation probability pd(k) : arrival of a new call or a handoff call, and ...

Cited by 1 - Related Articles - Web Search

Scalable video coding and transport over broadband wireless networks - all 9 versions »

D Wu, YT Hou, YQ Zhang... - Proceedings of the IEEE, 2001 - ieeexplore.ieee.org

... and the mobility, as well as handoff characteristics of ... multiple access control protocol (eg, CDMA or TDMA ... One such mechanism is a lossless handover method for ...

Cited by 109 - Related Articles - Web Search - BL Direct

Method for increasing throughput capacity in a communication system - all 4 versions »

AK Raith, L Bilstrom, RC Henry, J Diachina, KE ... - US Patent 5,818,829, 1998 - Google Patents

... and hybrid FDMA/TDMA/CDMA, for example. ... No. 5,175,867 to Wejke et al., entitled "Neighbor-Assisted Handoff in a Cellular Communication System," and US patent ...

Cited by 33 - Related Articles - Web Search

Data audits based on timestamp criteria in replicated data bases within digital mobile ... - all 3 versions »

EH Hyun, SH Kim - US Patent 5,937,413, 1999 - Google Patents

... referred to as MSC) of a CDMA mobile system ... when a call processing function, a hand-over function, and ... status management, and manages a **start time** at which the ...

Cited by 11 - Related Articles - Web Search

Method for transmitting a quick paging channel at different power levels - all 4 versions »

WD Willey - US Patent 6,138,034, 2000 - Google Patents

... Channel (PCH) following an idle handoff, as described in section 2.6.2.1.4.2 of TR45.5.2.3.SIG/98.12.01.02. Experience with current 20 CDMA systems shows that ...

Cited by 22 - Related Articles - Web Search

Call admission control policy for capacity-varying networks with stochastic capacity change times

J Siwko, I Rubin - Global Telecommunications Conference, 2000. GLOBECOM'00. ..., 2000 - ieeexplore.ieee.org

... The actual **start time** of the call, however, may vary somewhat from the reserved **start time**. The network resources available to serve ...

Related Articles - Web Search

Code division multiple access system providing enhanced load and

interference based demand ... - all 3 versions »

RP Ejzak, S Laha, S Kumar, D Knisely, S Nanda, I ... - US Patent 6,069,883, 2000 - Google Patents

... RATE, CODES, **START TIME**) ... connectivity arrangements for a multiple channel soft handoff,

and FIG ... burst level allocation scenario for use with the CDMA network of ...

Cited by 46 - Related Articles - Web Search

Method and apparatus for communication control in a radiotelephone system- all 5 versions »

AK Raith, WGA Muller - US Patent 5,353,332, 1994 - Google Patents

... DS) CDMA codes and CDMA pilot codes maybe included as relative information ... PN sequence,

ie, the appropriate phasing and **start time** ... is used only for **handoff** purposes ...

Cited by 110 - Related Articles - Web Search

Method and apparatus for providing private global networks in a satellite communication system - all 3 versions »

WF Zancho, JW Bishop Jr, MW Krutz - US Patent 5,999,797, 1999 - Google Patents

... by determining (416, 424) **hand-off** schedules for ... SEND DESTINATION HANOFF SCHEDULE

TO DESTINATION TERMINAL ... Division Multiple Access (CDMA) communications ...

Cited by 8 - Related Articles - Web Search

SIMPLIFIED MULTIUSER DETECTION FOR CDMA SYSTEMS - all 2 versions »

ZA Uzmi - 2002 - www-star.stanford.edu

... 32 3.1 QS-CDMA Symbol cell to the other and establishes a communication link with the base station in the new cell is called **handoff** [11]. ...

Cited by 1 - Related Articles - View as HTML - Web Search - Library Search

GPS-based centralized tracking system with reduced energy consumption - all 2 versions »

DD Harrison, KB Welles... - US Patent 6,104,978, 2000 - Google Patents

... This is followed by a **hand-over** word (HOW) that indicates GPS time at ... The satellite signal structures use Code Division Multiple Access (CDMA) so that the above ...

Cited by 16 - Related Articles - Web Search

Overview of 5ESS-2000 switch performance - all 3 versions »

R Singer - Proceedings of the first international workshop on Software ..., 1998 - portal.acm.org

... For CDMA and a version of TDMA, the vocoders are ... The PSU offloads the **handoff** work

from the CMP/AM and SMP ... case that is affected by the **start time** definition is ...

Cited by 1 - Related Articles - Web Search

A centralized approach to dynamic channel assignment in wireless ATM LANs - all 5 versions »

GF Marias, D Skyrianoglou, L Merakos - INFOCOM'99. Eighteenth Annual Joint Conference of the IEEE ..., 1999 - ieeexplore.ieee.org

... of the BSs, until it will perform a **handover** ... be embedded in a switch, and decides which carrier could be reserved by a BS, as well as the **start time** and the ...

Cited by 5 - Related Articles - Web Search - BL Direct

A Survey of Energy Efficient Network Protocols for Wireless Networks - all 27 versions »

CE Jones, KM Sivalingam, P Agrawal, JC Chen - Wireless Networks, 2001 - Springer

... Time Division Multiple Access), or orthogonal codes or hopping patterns in the case

of CDMA (Code Divi ... switch to standby mode until the receive **start time** ...

Cited by 284 - Related Articles - Web Search - BL Direct

Packet data transmission using dynamic channel assignment - all 4 versions

»

DCY Chan - US Patent 5,790,551, 1998 - Google Patents

... Thus, the effective data any one of a number of protocols such as AMPS, **CDMA**, 35 channels for mobile end systems to transmit data packets, ...

Cited by 38 - Related Articles - Web Search

Method and apparatus for backhauling data in a communication system - all 4 versions

MJ Bach - US Patent 6,353,742, 2002 - Google Patents

... such as the CDMA2000 vision, Wideband **CDMA** for UMTS ... unit, such as in the case of soft handoff. ... 119, and by differences in the remote unit's transmit **start time** ...

Cited by 4 - Related Articles - Web Search

Wireless digital network - all 3 versions

PO Roach Jr - US Patent 5,845,211, 1998 - Google Patents

... analog or digital (GSM, TDMA, E-TDMA, **CDMA**) standard, into ... ment or tone to indicate that a call **hand off** occurred ... from which the CSC accepted a **handoff** or even ...

Cited by 61 - Related Articles - Web Search

Packet fair queueing scheduling based on multiratemultipath-transparent CDMA for wireless networks - all 5 versions

A Stamoulis, GB Giannakis - INFOCOM 2000. Nineteenth Annual Joint Conference of the IEEE ..., 2000 - ieeexplore.ieee.org

... of a multi-rate multipath-transparent **CDMA**-based physical ... networks is proposed, and a **Start-Time-Fair-Queueing** ... new users within the cell or **hand-off** users from ...

Cited by 34 - Related Articles - Web Search - BL Direct

Channel frequency allocation for multiple-satellite communication network - all 6 versions

RH Sherman, TF Driggers - US Patent 6,463,279, 2002 - Google Patents

... HARD **HAND-OFF** CONSTRAINTS 21 0 ... spectrum and reduce the number of FDMA beacons and

CDMA pilot frequencies ... one cell to an adjacent cell, a hard **handoff** must occur ...

Cited by 22 - Related Articles - Web Search

QoS maintenance for fair queueing algorithms in wireless mobile networks

S Lee, A Ahmad, K Kim - International Journal of Communication Systems, 2002 -

doi.wiley.com

... SUMMARY In order to extend fair queueing algorithms to wireless networks, we propose a channel error and **handoff** compensation scheme. ... 3.3. **Handoff** compensation ...

Cited by 1 - Related Articles - Web Search - BL Direct

Voice call group function for a satellite based air traffic control system - all 3 versions

DM Yee, RH Bickley, PJ Zucarelli, TW Keller, JS ... - US Patent 6,185,430, 2001 - Google Patents

... is leaving to coordinate a **hand-off** of control ... a method of a com- munication **handoff** initiated by ... TDMA), code division multiple access (**CDMA**), random division ...

Cited by 7 - Related Articles - Web Search

System and method for selective recovery of a failed overhead channel in a wireless network - all 3 versions

L Ji, L Thao - US Patent 6,496,475, 2002 - Google Patents

... A **handoff** transfers control of a call from a first cell to a 59 ... the channel elements

operate according to a code division multiple access (CDMA) protocol with ...
[Cited by 1 - Related Articles - Web Search](#)

Use of DaSSF in a scalable multiprocessor wireless simulation architecture - all 3 versions »

TJ Derve, NJ Smith - Proceedings of the 33nd conference on Winter simulation, 2001 - portal.acm.org

... problems such as call origination or **handover**, for instance ... working through from the simulation **start-time** to the ... a power change request in a CDMA system would ...

[Cited by 2 - Related Articles - Web Search - BL Direct](#)

Design and analysis of a new approach multiple burst admission control for cdma2000 - all 4 versions »

YK Kwok, VKN Lau - Proceedings of the 7th annual international conference on ..., 2001 - portal.acm.org

... ACM SIGMOBILE 7/01 Rome, Italy Ѓ 2001 ACM ISBN 1-58113-422-3/01/07...\$5.00 310 Page

2. CDMA Base Station Voice User 1 Voice User 2 Voice User 3 Voice User Nv ...

[Cited by 4 - Related Articles - Web Search](#)

Method and system for controlling an encoding rate in a variable rate communication system - all 3 versions »

LM Proctor, JP Ashley - US Patent 5,898,696, 1999 - Google Patents

... ARRIVAL TIME DATA 4. FRAME START TIME (TEMPORAL DATA ... include for example the **handoff**

state of ... conventional code division multiple access (CDMA) cellular systems ...

[Cited by 18 - Related Articles - Web Search](#)

Programmable matched filter searcher for multiple pilot searching - all 4 versions »

GC Sih, I Fevrier, I Kang, C Patrick - US Patent 6,480,529, 2002 - Google Patents

... When correlation is found, the **start time** of the code is ... POSITION DETECTION TO FACILITATE HARD HANDOFF", filed Nov ... hardware needed to search for CDMA pilots (or ...

[Related Articles - Web Search](#)

[PS] A TRACE-BASED APPROACH TO EVALUATING WIRELESS NETWORKS - all 7 versions »

GT Nguyen - IEEE Proceedings of the 1996 Winter Simulation Conference, 1996 - metc.pku.edu.cn

... Signal Level Page 11. off point is relevant to **handoff** policies that based their actions on the received signal strength. We also fit ...

[Cited by 1 - Related Articles - View as HTML - Web Search](#)

Data transmitting/receiving method, transmitting device, receiving device, transmitting/receiving ... - all 3 versions »

T Itoh, T Yamaguchi, J Sato, H Arakawa - 2002 - freepatentsonline.com

... due to retransmission at the link layer level or processing such as **handover** and header ... such as a wireless LAN (Local Area Network) or by W-CDMA (Wideband Code ...

[Cached - Web Search](#)

Physical Layer

A Toskala - WCDMA for UMTS-Radio Access for Third Generation Mobile ..., 2001 - doi.wiley.com

... Common channels do not have soft **handover** but some of them can have fast ... The concept

of spreading the information in a CDMA system is introduced in Chapter 3 ...

[Cited by 1 - Related Articles - Web Search](#)

Mobile communication method and system - all 4 versions »

T Sugita - US Patent 5,812,543, 1998 - Google Patents

... **TIME OUT** 7 ... Related Art The mobile communication employing the CDMA system, or ... used

for transmitting the information required for **hand-off**, calling information ...

Cited by 13 - Related Articles - Web Search

Travel velocity detecting apparatus in mobile communication system - all 3 versions »

T Takenaka, Y Tajima, K Kawabata - US Patent 5,585,805, 1996 - Google Patents

Page 1. United States Patent Takenaka et al. US005585805A [11] Patent Number: [45] Date of Patent: [54] TRAVEL VELOCITY DETECTING ...

Cited by 9 - Related Articles - Web Search

Method and system for controlling speech encoding in a communication system - all 5 versions »

LM Proctor, JP Ashley - US Patent 6,049,537, 2000 - Google Patents

... 4. FRAME **START TIME** (TEMPORAL DATA ... This is particularly the case with CDMA systems

where ... link related characteristics, include for example the **handoff** state of ...

Cited by 7 - Related Articles - Web Search

[book] Broadband Access and Technology.: NOC'99; Proceedings of the European Conference on Networks and ... - all 2 versions »

DW Faulkner, A Harmer - 1999 - books.google.com

... Gigabit Ethernet & **CDMA** Direct Modulation and Wavelength Division Multiplexing in Multimode Fibers for 10 Gbit/s Data Link Applications, FS Choa, Y. Zhao, LM ...

Related Articles - Web Search - Library Search

Locating a mobile unit using signals from both mobile beacons and stationary beacons - all 3 versions »

J Nir, B Shayevich, H Cohen, O Perelmutter - US Patent 6,285,316, 2001 - Google Patents

... 600 millisecond) **handover** words that are time-variant (these **handover** words include ... the mobile beacon signals and inferring therefrom a common **start time** of the ...

Cited by 6 - Related Articles - Web Search

Apparatus and method for calendar based call routing - all 3 versions »

S Shaffer, WJ Beyda - US Patent 6,477,374, 2002 - Google Patents

Page 1. US006477374B1 (12) United States Patent Shaffer et al. (22) Filed: May 1, 1998 Related US Application Data (63) Continuation-in-part of application No. ...

Cited by 5 - Related Articles - Web Search

Connection admission control for capacity-varying networks with stochastic capacity change times - all 8 versions »

J Siwko, I Rubin - IEEE/ACM Transactions on Networking (TON), 2001 - portal.acm.org

... The actual **start time** of the connection, however, may vary somewhat from the reserved **start time**. The network resources available ...

Cited by 8 - Related Articles - Web Search - BL Direct

Packet Scheduling for Link-Sharing and Quality of Service Support in Wireless Local Area Networks - all 4 versions »

L Wischhof, JW Lockwood - Department of Computer Science, Applied Research Lab, ..., 2001 - inet.one.pl

... 12 3.1.6 Weighted Fair Queuing (WFQ) 12

3.1.7 Start-time Fair Queuing (SFQ) 14 ...

Cited by 15 - Related Articles - View as HTML - Web Search

RADIO INFORMATION DISTRIBUTION SYSTEM, RADIO INFORMATION DISTRIBUTION APPARATUS, AND PORTABLE RADIO ... - all 2 versions »
T FUJISAWA, H CHIHARA - EP Patent 1,235,452, 2002 - freepatentsonline.com
... information the user bought, including a name, date, venue, and **start time** of the ...
Therefore, a user need not have to hand over a credit card for processing ...
Cached - Web Search

Bandwidth reservation and collision resolution method for multiple access communication networks ... - all 3 versions »
MC Chuah... - US Patent 6,115,390, 2000 - Google Patents
Page 1. United States Patent US006115390A [ii] Patent Number: [45] Date of Patent: Chuah [54] BANDWIDTH RESERVATION AND COLLISION ...
Cited by 30 - Related Articles - Web Search

Data communication device and method for mobile communication system with dedicated control channel - all 5 versions »
YK Kim, JM Ahn, SY Yoon, HW Kang, HS Lee, JS Park, ... - US Patent 6,438,119, 2002 - Google Patents
... the channel gain and phase and performing 55 cell acquisition and **handoff**; 2) paging ...
The CDMA mobile communication system may have an idle mode, a voice mode ...
Cited by 4 - Related Articles - Web Search

Method for admitting new connections based on usage priorities in a multiple access system for ... - all 4 versions »
MC Chuah - US Patent 6,226,277, 2001 - Google Patents
Page 1. US006226277B1 (12) United States Patent Chuah (54) METHOD FOR ADMITTING NEW CONNECTIONS BASED ON USAGE PRIORITIES IN A MULTIPLE ...
Cited by 18 - Related Articles - Web Search

Method for bandwidth sharing in a multiple access system for communications networks - all 4 versions »
MC Chuah - US Patent 6,327,254, 2001 - Google Patents
Page 1. US006327254B1 (12) United States Patent Chuah (54) METHOD FOR BANDWIDTH SHARING IN A MULTIPLE ACCESS SYSTEM FOR COMMUNICATIONS NETWORKS ...
Cited by 10 - Related Articles - Web Search

Method for overload control in a multiple access system for communication networks - all 4 versions »
MC Chuah - US Patent 6,469,991, 2002 - Google Patents
Page 1. US006469991B1 (12) United States Patent Chuah (54) METHOD FOR OVERLOAD CONTROL IN A MULTIPLE ACCESS SYSTEM FOR COMMUNICATION NETWORKS ...
Cited by 10 - Related Articles - Web Search

Method for admitting new connections based on measured quantities in a multiple access system for ... - all 4 versions »
MC Chuah - US Patent 6,377,548, 2002 - Google Patents
Page 1. US006377548B1 (12) United States Patent Chuah (54) METHOD FOR ADMITTING NEW CONNECTIONS BASED ON MEASURED QUANTITIES IN A ...
Cited by 13 - Related Articles - Web Search

Wireless location using signal fingerprinting
CL Karr, DJ Dupray - 2001 - freepatentsonline.com
... one or more location centers for outputting requested locations of commercially available handsets or mobile stations (MS) based on, eg, CDMA, AMPS, NAMPS or ...
Cached - Web Search

CDMA hand-off OR hand-over "start"

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google

Logon
*** It is now 8/28/2007 12:02:27 PM ***

Welcome to DialogLink - Version 5 Revolutionize the Way You Work!

Connecting to sahmed - Dialog - 291839
Connected to Dialog via SMS002261702

? b 9,15,16,20,47,75,80,88,98,112,141,148,160,275,264,350, 351,
352,369,370,484,553,570,608,620,613,621,623,624,634,635,636,647,696,674,
810,813,587

>>>W: 350 is unauthorized
351 is unauthorized

352 is unauthorized

3 of the specified files are not available

[File 9] **Business & Industry(R)** Jul/1994-2007/Aug 22

(c) 2007 The Gale Group. All rights reserved.

[File 15] **ABI/Inform(R)** 1971-2007/Aug 27

(c) 2007 ProQuest Info&Learning. All rights reserved.

[File 16] **Gale Group PROMT(R)** 1990-2007/Aug 27

(c) 2007 The Gale Group. All rights reserved.

[File 20] **Dialog Global Reporter** 1997-2007/Aug 28

(c) 2007 Dialog. All rights reserved.

[File 47] **Gale Group Magazine DB(TM)** 1959-2007/Aug 14

(c) 2007 The Gale group. All rights reserved.

[File 75] **TGG Management Contents(R)** 86-2007/Aug W2

(c) 2007 The Gale Group. All rights reserved.

[File 80] **TGG Aerospace/Def.Mkts(R)** 1982-2007/Aug 21

(c) 2007 The Gale Group. All rights reserved.

[File 88] **Gale Group Business A.R.T.S.** 1976-2007/Aug 20

(c) 2007 The Gale Group. All rights reserved.

[File 98] **General Sci Abs** 1984-2007/Jul

(c) 2007 The HW Wilson Co. All rights reserved.

[File 112] **UBM Industry News** 1998-2004/Jan 27

(c) 2004 United Business Media. All rights reserved.

*File 112: File 112 is no longer updating.

[File 141] **Readers Guide** 1983-2007/Jun

(c) 2007 The HW Wilson Co. All rights reserved.

[File 148] **Gale Group Trade & Industry DB** 1976-2007/Aug 22

(c) 2007 The Gale Group. All rights reserved.

*File 148: The CURRENT feature is not working in File 148. See HELP NEWS148.

[File 160] **Gale Group PROMT(R)** 1972-1989

(c) 1999 The Gale Group. All rights reserved.

[File 275] **Gale Group Computer DB(TM)** 1983-2007/Jul 24

(c) 2007 The Gale Group. All rights reserved.

[File 264] **DIALOG Defense Newsletters** 1989-2007/Aug 27

(c) 2007 Dialog. All rights reserved.

[File 369] **New Scientist** 1994-2007/Jul W5

(c) 2007 Reed Business Information Ltd. All rights reserved.

[File 370] **Science** 1996-1999/Jul W3

(c) 1999 AAAS. All rights reserved.

*File 370: This file is closed (no updates). Use File 47 for more current information.

[File 484] **Periodical Abs Plustext** 1986-2007/Aug W2

(c) 2007 ProQuest. All rights reserved.

[File 553] **Wilson Bus. Abs.** 1982-2007/Aug

(c) 2007 The HW Wilson Co. All rights reserved.

[File 570] **Gale Group MARS(R)** 1984-2007/Aug 22

(c) 2007 The Gale Group. All rights reserved.

[File 608] **KR/T Bus.News.** 1992-2007/Aug 28

(c) 2007 Knight Ridder/Tribune Bus News. All rights reserved.

[File 620] **EIU:Viewswire** 2007/Aug 27

(c) 2007 Economist Intelligence Unit. All rights reserved.

[File 613] **PR Newswire** 1999-2007/Aug 28

(c) 2007 PR Newswire Association Inc. All rights reserved.

*File 613: File 613 now contains data from 5/99 forward. Archive data (1987-4/99) is available in File 813.

[File 621] **Gale Group New Prod.Annou.(R)** 1985-2007/Aug 22

(c) 2007 The Gale Group. All rights reserved.

[File 623] **Business Week** 1985-2007/Aug 28

(c) 2007 The McGraw-Hill Companies Inc. All rights reserved.

[File 624] **McGraw-Hill Publications** 1985-2007/Aug 28

(c) 2007 McGraw-Hill Co. Inc. All rights reserved.

*File 624: Homeland Security & Defense and 9 Platt energy journals added Please see

HELP NEWS624 for more

[File 634] **San Jose Mercury** Jun 1985-2007/Aug 23
(c) 2007 San Jose Mercury News. All rights reserved.

[File 635] **Business Dateline(R)** 1985-2007/Aug 28
(c) 2007 ProQuest Info&Learning. All rights reserved.

[File 636] **Gale Group Newsletter DB(TM)** 1987-2007/Aug 27
(c) 2007 The Gale Group. All rights reserved.

[File 647] **CMP Computer Fulltext** 1988-2007/Sep W3
(c) 2007 CMP Media, LLC. All rights reserved.

[File 696] **DIALOG Telecom. Newsletters** 1995-2007/Aug 27
(c) 2007 Dialog. All rights reserved.

[File 674] **Computer News Fulltext** 1989-2006/Sep W1
(c) 2006 IDG Communications. All rights reserved.

*File 674: File 674 is closed (no longer updates).

[File 810] **Business Wire** 1986-1999/Feb 28
(c) 1999 Business Wire . All rights reserved.

[File 813] **PR Newswire** 1987-1999/Apr 30
(c) 1999 PR Newswire Association Inc. All rights reserved.

[File 587] **Jane's Defense&Aerospace** 2007/Aug W1
(c) 2007 Jane's Information Group. All rights reserved.

```
? s au=(OHWADA HIDEKI or OHWADA, HIDEKI or OHWADA H? or OHWADA, H?)  
>>>W: One or more prefixes are unsupported  
or undefined in one or more files.  
      0  AU=OHWADA HIDEKI  
      0  AU=OHWADA, HIDEKI  
      0  AU=OHWADA H?  
      9  AU=OHWADA, H?  
S1      9  AU=(OHWADA HIDEKI OR OHWADA, HIDEKI OR OHWADA H? OR  
OHWADA, H?)  
  
?  
? s s1 not py>2002  
Processing  
Processing  
>>>W: I/O error in file 608  
>>>E: There is no result  
  
? S S1 NOT PY>2002  
Processing  
Processing  
>>>W: I/O error in file 608
```

>>>E: There is no result

? type s1/3,k/all

1/3,K/1 (Item 1 from file: 88) Links

? b 348, 349

[File 348] EUROPEAN PATENTS 1978-2007/ 200734

(c) 2007 European Patent Office. All rights reserved.

*File 348: For important information about IPCR/8 and forthcoming changes to the IC= index, see HELP NEWSIPCR.

[File 349] PCT FULLTEXT 1979-2007/UB=20070816UT=20070809

(c) 2007 WIPO/Thomson. All rights reserved.

*File 349: For important information about IPCR/8 and forthcoming changes to the IC= index, see HELP NEWSIPCR.

? S AU=(OHWADA HIDEKI OR OHWADA, HIDEKI OR OHWADA H? OR OHWADA, H?)

3 AU=OHWADA HIDEKI

0 AU=OHWADA, HIDEKI

14 AU=OHWADA H?

0 AU=OHWADA, H?

S1 14 AU=(OHWADA HIDEKI OR OHWADA, HIDEKI OR OHWADA H? OR OHWADA, H?)

? S S1 NOT PY>2002

14 S1

1642430 PY>2002

S2 8 S S1 NOT PY>2002

? TYPE S1/3,K/ALL